



CONQUEST CQF8544TTA3

CONQUEST CQF8544TTA3

ConQuest is the ideal commercial-grade cargo trailer for business owners and recreational haulers who demand high performance from their trailers.

ConQuest heavy-duty enclosed trailers feature truck-body style construction with a flat top, and are available in bumper pull tag or gooseneck designs. No matter what your cargo - from building or landscape equipment, to moving furniture or ATVs - the ConQuest Series makes a bold statement.

ConQuest features a steel I-beam frame with dust-proof sidewalls, aluminum roof, solid core doors, an independent torsion suspension with trailer-rated radial tires. These heavy-duty standard features prove the ConQuest will be a serious asset to your business, giving you the maximum return on your investment and add great resale value as well.

ConQuest is available with a wide array of options to outfit your trailer specifically for your business needs. Each option is expertly designed and installed by Pace American's team of specialists, with many heavy-duty upgrades available to increase the lifespan of your investment.

Demand Pace American, there is a difference!

STANDARD FEATURES

- 11 Standard Exterior Colors
- Patented Dust-Proof Sidewall Design for Strength and Cleanliness
- Truck Body Style Flat Top Roof Design
- Stainless Steel Front Corner Wrap
- Formed Steel Rear Header
- Double Rear Swing Doors with Semi-Style Camlocks and T-Nuts
- Rear Cast Aluminum Corners
- 16" On-Center Crossmembers on TA3 Models and Greater
- .030 Aluminum Exterior with 16" On-Center Wall Posts
- Non-Cracking TPO Front Cap
- Dexter Independent Torsion Suspension (ITS) Axles
- All-Wheel Electric Brakes with 12v Breakaway Switch including Battery and Trickle Charger (Tandem Axle Models)
- Frames are phosphate power washed and all exposed metal is painted with premium quality paint
- Cast Aluminum Rear Corners
- Precision, Jig Built, Solid Core Double Rear Swing Doors with Semi-Style Camlocks and T-Nuts.
- Long Life Clear Coat on Zinc Plated Fasteners
- 3/8" Plywood Interior Walls
- 3/4" Plywood Floor
- Automotive Quality Wiring Run Through Plastic Grommets in Trailer Frame
- Cast Aluminum Door Hold Backs
- Aluminum Fenders
- Aluminum Hinges on Rear Cargo Doors
- Aluminum Roof
- Dexter EZ Lube Hubs
- LED 12v Exterior Lighting
- 6" I-Beam Frame w/ Double I-Beam Over Axle Area on Models Over 16'
- Trailer Rated Radial Tires
- Modular Style Steel Wheels with E-Coat Primer & Powdercoat Finish
- 24" ATP Stoneguard
- Automotive Style D-Bulb Weatherstripping
- Safety Chains with Security Clasp Hooks

And More



Smaller single-axle trailers are easy to hitch, tow and maintain.



The Taper Nose option is available on Shadow GT Goosenecks and includes a fiberglass airdome for improved aerodynamic efficiency.

CQF8544TTA3

SPECIFICATIONS CQF8544TTA3

Overall Length	44'0"
Interior Length	43'7"
Box Width/OA Width	8'4"/8'6"
Box Height/OA Height	8'3"
Interior Width	8'0"/6'9"
Interior Height (to center of roof bow)	6'3"
Platform Height/Ball Height	22"
Rear Doors	Double
Rear Door Width	88"
Rear Door Height	68"
Axles	5000# Triple
Brakes	Electric
Frame	8" I-Beam
Tire Size	ST225 75R15
	LRD
Hitch Ball Size	2" Pin Box with Landing Gear
Curb Weight	7450#
Hitch Weight	1490#
Exterior	.030 Smooth
Floor	3/4" Plywood
Sidewalls	3/8" Plywood
Payload Capacity	7550
GVWR	15,000#
Lower Deck Box Length	35'9"
Sidewall Height	6'3"
Riser Wall Height	45"
Attic Interior Height	31"

NOTE: All standards, options, special packages, construction and specifications listed are subject to change. Photography may show optional items available at additional cost. Please consult your authorized dealer for the latest product information.

OPTIONAL EQUIPMENT

- Finished Interiors
- Custom Pace Built Cabinetry in Aluminum or Laminate
- Flooring Options
- D-Rings
- E-Track: Floor or Wall
- Aluminum Tread Plate (ATP) Stoneguard
- Side Door Upgrades
- Electrical Packages (5 to choose from)
- GFI Outlets- Interior or Exterior
- Air Dome
- Rear Ramp Door
- 12v Electric Tongue Jack
- Hydraulic Landing Jack
- Scissor, Stabilizer or Drop Down Jacks
- Window Options
- Baggage Doors
- Chrome Wheels
- Aluminum Wheels
- In-Floor Spare Tire Compartment
- Pintle Eye Hitch
- Generators
- Tie Downs
- Translucent Roof
- LED Exterior Lighting
- Tongue Mounted Spare
- Extra Height
- Non-Powered Roof Vent
- Stainless Steel Front Corner Wrap • Dome Light (SX or LX)
- Flow Through Sidewall Vents- SX or LX • AC with or without Heatstrip
- Barlock for Side Door
- Maxxair Vent Cover
- Double Plywood Floor
- Escape Hatch
- 24" Aluminum Tread Plate (ATP) Stoneguard
- White Aluminum Walls
- Wolmanized Plywood Floor
- Aluminum Tread Plate (ATP) Floor
- Upgrade to 1" Plywood Floor
- Fan-Tastic Power Roof Vent w/Thermostat
- Sliding Service Windows
- Windows with Screens

And More

Starting @ \$14,570.00

With Our Factory Direct Program

Pick Up Your Pace & Save \$\$\$

Five Factory Locations To Choose From:

**11550 Harter Drive
Middlebury, IN 46540**

**2290 McGuffey Road
McGregor, TX 76657**

**210 North Highway 91
Hurricane, UT 84737**

**Colony Industrial Park
223 Rip Wiley Road
Fitzgerald, GA 31750**

**2000 W. Oak St.
Lebanon, OR 97355**

Nationwide Sales and Delivery




We're Behind You, All The Way!

Toll Free (877) 258-1445

www.BestPriceTrailers.com

FLOORPLAN PLAYGROUND

DATE: _____ TITLE: PLAN VIEW MODEL: COF 8544TTA3 DWG NO: _____




 11550 HARTER DRIVE
 MIDDLEBURY, IN. 46540
 APPROVED BY: _____
 SCALE: N.T.S. DWG. BY: RAM
 REVISED: _____

NOTES:
 GRID=12'x12' SQUARES

REV. #	DATE	DESCRIPTION

PLEASE INQUIRE CLAIMS PROPRIETARY RIGHTS TO THE MATERIAL DISCLOSED HEREIN. WHETHER THE DRAWING FOR ANY REPRODUCTION THEREOF MAY BE USED TO MANUFACTURE ANYTHING WITHOUT PERMISSION IN WRITING.